
PLN_EVENT_COMMITMENT4

| | |
|-----------------------------|---|
| English Name | Commitment Lead (Primary Key) |
| Oracle Name | COM_LEAD |
| Description | The lead implementing agency for the commitment/initiative. |
| Data Type and Length | CHAR (2) |
| Allowed Values | 01 - 10 Region State postal code |
| Default Value | |
| English Name | Commitment Sequence Number (Primary Key) |
| Oracle Name | COM_SEQ |
| Description | A system-generated sequence number to uniquely identify commitments/initiatives. |
| Data Type and Length | NUMBER (6.0) |
| Allowed Values | 1 - 999,999 |
| Default Value | Next sequential number |
| English Name | Event Handler ID (Primary Key) |
| Oracle Name | EVENT_HANDLER_ID |
| Description | Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities). |
| Data Type and Length | VARCHAR2 (12) |
| Allowed Values | Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed. |
| Default Value | |
| Notes | Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located. |
| English Name | Series Sequence Number (Primary Key) |
| Oracle Name | EVENT_SERIES_SEQ |
| Description | System-generated value used to uniquely identify a permit series. |
| Data Type and Length | NUMBER (4.0) |
| Allowed Values | 1 - 9,999 |
| Default Value | Next sequential number |

PLN_EVENT_COMMITMENT4

| | |
|-----------------------------|--|
| English Name | Permit Event Activity Location (Primary Key) |
| Oracle Name | EVENT_ACTIVITY_LOCATION |
| Description | Indicates the location of the agency regulating the activity. |
| Data Type and Length | CHAR (2) |
| Allowed Values | State postal code |
| Default Value | Location of the current user ID |
| Notes | For a list of valid state postal codes, refer to the Column Information Report for LU_STATE. |

| | |
|-----------------------------|--|
| English Name | Event Sequence Number (Primary Key) |
| Oracle Name | EVENT_SEQ |
| Description | System-generated value used to uniquely identify a permit event. |
| Data Type and Length | NUMBER (3.0) |
| Allowed Values | 1 - 999 |
| Default Value | Next sequential number |

| | |
|-----------------------------|--|
| English Name | Event Agency (Primary Key) |
| Oracle Name | EVENT_AGENCY |
| Description | Code indicating the agency responsible for conducting a specific permitting/closure program event. |
| Data Type and Length | CHAR (1) |
| Allowed Values | E EPA J Joint S State |
| Default Value | |

| | |
|-----------------------------|--|
| English Name | Event Code Owner (Primary Key) |
| Oracle Name | EVENT_OWNER |
| Description | Indicates the agency that defined the Event Code. |
| Data Type and Length | CHAR (2) |
| Allowed Values | 01 - 10 Region HQ Nationally defined State postal code |
| Default Value | |

PLN_EVENT_COMMITMENT4

| | |
|-----------------------------|---|
| English Name | Event Code (Primary Key) |
| Oracle Name | EVENT_CODE |
| Description | Code used to indicate a specific permitting/closure program event and status that has actually occurred or is scheduled to occur. |
| Data Type and Length | VARCHAR2 (7) |
| Allowed Values | Nationally- or implementer-defined value in LU_PERMIT_EVENT_CODE4. |

Existing nationally-defined values:

CL005NE Transfer of Ownership - Newly Transferred to this Site
 Category: Closure - General

CL005NO Nationally Required: No
 Transfer of Ownership - No Longer Regulated at this Site
 Category: Closure - General

CL310 Nationally Required: No
 Plan Received - Closure
 The receipt of a closure plan required pursuant to 40 CFR 264/265 Subpart G or equivalent State requirements.
 Category: Closure - General

CL315 Nationally Required: Yes
 Intends to Seek Permit
 Category: Closure - General

CL320 Nationally Required: No
 Closure Plan NOD
 Category: Closure - General

CL330 Nationally Required: No
 Revisions Received - Closure
 Category: Closure - General

CL340 Nationally Required: No
 Public Notice - Closure
 Category: Closure - General

CL350PH Nationally Required: No
 Public Hearing - Formal - Closure
 Category: Closure - General

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| CL350PM | Nationally Required: No Public Meeting - Closure Category: Closure - General |
| CL360ME | Nationally Required: No Closure Plan Approved - Final Closure Category: Closure - General |
| CL360MO | Nationally Required: No Closure Plan Approved - Partial Closure This issuance of written correspondence to the regulated facility indicating that the closure plan has been approved by the EPA or State for implementation. A status code of MO should be entered to indicate partial closure. Category: Closure - General |
| CL362 | Nationally Required: Yes Modification Requested Category: Closure - General |
| CL363 | Nationally Required: Yes Modification Public Notice Category: Closure - General |
| CL364 | Nationally Required: Yes Modification Determination - Approved Category: Closure - General |
| CL365 | Nationally Required: No Modification Request Withdrawn Category: Closure - General |
| CL366 | Nationally Required: No Modification Determination - Denied Category: Closure - General |
| CL370 | Nationally Required: No Receive Closure Certification The receipt by the EPA or State of written certification required by 40 CFR 264/265.115 or equivalent State requirements. |

PLN_EVENT_COMMITMENT4

Category: Closure - General

CL372CA Nationally Required: Yes
Review Closure Certification Acceptable
Category: Closure - General

CL372CU Nationally Required: No
Review Closure Certification Unacceptable
Category: Closure - General

CL380CA Nationally Required: No
Closure Verification - Clean Closure Acceptable
Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.

A status code of CA should be entered when clean closure is acceptable.

Category: Closure - General

CL380CU Nationally Required: Yes
Closure Verification - Clean Closure Unacceptable
Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.

A status code of CU should be entered when clean closure is unacceptable.

Category: Closure - General

CL380DA Nationally Required: Yes
Closure Verification - Waste In-Place Closure Acceptable
Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.

A status code of DA should be entered when waste in-place closure is acceptable.

Category: Closure - General

CL380DU Nationally Required: Yes
Closure Verification - Waste In-Place Closure Unacceptable
Verification by the EPA or State, through the review of data, site records, certification,s and/or visual inspection, of whether the closure has been completed satisfactorily.

PLN_EVENT_COMMITMENT4

A status code of DU should be entered when waste in-place closure is unacceptable.

Category: Closure - General

| | |
|---------|---|
| CL390 | Nationally Required: Yes Notice of Deed Registry Received Category: Closure - General |
| CL395EQ | Nationally Required: No Equivalency Determination - Clean Closure Meets 40 CFR 264 Standard Category: Closure - General |
| CL395NE | Nationally Required: No Equivalency Determination - Clean Closure Does Not Meet 40 CFR 264 Standard Category: Closure - General |
| CL404 | Nationally Required: No Review of Closure Plan Completed Category: Closure - General |
| CL411 | Nationally Required: No Closure Process Begun According to Plan Category: Closure - General |
| CL411NO | Nationally Required: No Closure Process Begun - Not According to Plan Category: Closure - General |
| CL413 | Nationally Required: No Closure Period Completed Category: Closure - General |
| CL414 | Nationally Required: No Facility Released From Closure Financial Assurance Requirement Category: Closure - General |
| EP010 | Nationally Required: No Emergency Permit Request Call-In Category: Emergency Permit - General |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| EP020 | Nationally Required: No Emergency Permit Request Received Category: Emergency Permit - General |
| EP025CR | Nationally Required: No Confidentiality Requested Category: Emergency Permit - General |
| EP025CS | Nationally Required: No Confidentiality Substantiated Category: Emergency Permit - General |
| EP025CU | Nationally Required: No Confidentiality Unsubstantiated Category: Emergency Permit - General |
| EP100 | Nationally Required: No Notice of Deficiency Category: Emergency Permit - General |
| EP110 | Nationally Required: No Revisions Received Category: Emergency Permit - General |
| EP150 | Nationally Required: No Determined to be Complete and Technically Adequate Category: Emergency Permit - General |
| EP155 | Nationally Required: No Emergency Permit Oral Approval Category: Emergency Permit - General |
| EP160DP | Nationally Required: No Public Notice-Draft Permit Category: Emergency Permit - General |
| EP160ID | Nationally Required: No Public Notice-Intent to Deny Category: Emergency Permit - General |
| | Nationally Required: No |

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| EP170PH | Public Hearing - Formal Category: Emergency Permit - General |
| EP170PM | Nationally Required: No Public Meeting Category: Emergency Permit - General |
| EP180 | Nationally Required: No Received Withdrawal Request Category: Emergency Permit - General |
| EP190 | Nationally Required: No Withdrawal Request Approved Category: Emergency Permit - General |
| EP200PD | Nationally Required: No Emergency Permit Final Determination - Permit Denied Category: Emergency Permit - General |
| EP200PI | Nationally Required: No Emergency Permit Final Determination - RCRA Permit Issued Category: Emergency Permit - General |
| EP205 | Nationally Required: No Emergency Permit Effective Category: Emergency Permit - General |
| EP260 | Nationally Required: No Permit Termination Category: Emergency Permit - General |
| EP270 | Nationally Required: No Permit Expires Category: Emergency Permit - General |
| EP370 | Nationally Required: No Receive Closure Certification Category: Emergency Permit - General |
| EP380CA | Nationally Required: No Closure Verification - Clean Closure Acceptable |

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| | Category: Emergency Permit - General |
| OP001CS | Nationally Required: No Part A Received - Request for Change Under Interim Status Category: Operating Permit - General |
| OP001IS | Nationally Required: No Part A Received - Initial Submittal Category: Operating Permit - General |
| OP001PB | Nationally Required: No Part A Received - Submitted with a Part B or Modification Request Category: Operating Permit - General |
| OP002AK | Nationally Required: No Part A Determination - Acknowledgement of Part A Receipt Category: Operating Permit - General |
| OP002AP | Nationally Required: No Part A Determination - Approval of Interim Status Change Category: Operating Permit - General |
| OP002DR | Nationally Required: No Part A Determination - Denied Request Category: Operating Permit - General |
| OP002VE | Nationally Required: No Part A Determination - Verified by Inspection to Exist Category: Operating Permit - General |
| OP003AD | Nationally Required: No Process Determination - Agency (State or EPA) Determination Category: Operating Permit - General |
| OP003FD | Nationally Required: No Process Determination - Facility Certified Document Category: Operating Permit - General |
| OP005NE | Nationally Required: No Transfer of Ownership - Newly Transferred to this Site Category: Operating Permit - General |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| OP005NO | Nationally Required: No Transfer of Ownership - No Longer Regulated at this Site Category: Operating Permit - General |
| OP010 | Nationally Required: No Part B Call-In Written notification to the regulated facility by the EPA or State indicating that an Operating Part B Permit Application is required and establishing a schedule for submittal. Category: Operating Permit - General |
| OP011 | Nationally Required: Yes BIF Pre-Compliance Certification Submitted Category: Operating Permit - Combustion |
| OP012 | Nationally Required: No BIF Pre-Compliance Certification Review Completed Category: Operating Permit - Combustion |
| OP013 | Nationally Required: No BIF Notification of Compliance Testing Category: Operating Permit - Combustion |
| OP014 | Nationally Required: No BIF Case-by-Case Compliance Extension Requested Category: Operating Permit - Combustion |
| OP016AR | Nationally Required: No BIF Case-by-Case Compliance Extension Granted - Approved Request Category: Operating Permit - Combustion |
| OP016DR | Nationally Required: No BIF Case-by-Case Compliance Extension Granted - Denied Request Category: Operating Permit - Combustion |
| OP020 | Nationally Required: No Part B Received The receipt of Part B of the RCRA Operating Permit Application. Category: Operating Permit - General |

PLN_EVENT_COMMITMENT4

- OP020OR Nationally Required: Yes
Part B Received - Original Permit Application
The receipt of Part B of the RCRA Operating Permit Application.
- A status code of OR should be entered to indicate original permit.
- Category: Operating Permit - General
- OP020RN Nationally Required: Yes
Renewal Application Received
The receipt of Part B of the RCRA Operating Permit Application.
- A status code of RN should be entered to indicate renewal.
- Category: Operating Permit - General
- OP020SP Nationally Required: Yes
Standardized Permit Application Received
The receipt of Part B of the RCRA Operating Permit Application.
- A status code of SP should be entered to indicate standardized permit.
- Category: Operating Permit - General
- OP021 Nationally Required: Yes
BIF Notification of Automatic Extension
Category: Operating Permit - Combustion
- OP022 Nationally Required: No
BIF Compliance Certification Submitted
Category: Operating Permit - Combustion
- OP023 Nationally Required: No
BIF Compliance Certification Review Completed
Category: Operating Permit - Combustion
- OP024 Nationally Required: No
BIF Compliance Extension Expires
Category: Operating Permit - Combustion

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| OP025CR | Nationally Required: No Confidentiality Requested Category: Operating Permit - General |
| OP025CS | Nationally Required: No Confidentiality Substantiated Category: Operating Permit - General |
| OP025CU | Nationally Required: No Confidentiality Unsubstantiated Category: Operating Permit - General |
| OP066 | Nationally Required: No Trial Burn Plan Received Category: Operating Permit - Combustion |
| OP068 | Nationally Required: No Trial Burn Plan NOD Category: Operating Permit - Combustion |
| OP070 | Nationally Required: No Trial Burn Plan Approved Category: Operating Permit - Combustion |
| OP080 | Nationally Required: No Trial Burn Conducted Category: Operating Permit - Combustion |
| OP090 | Nationally Required: No Trial Burn Results Received Category: Operating Permit - Combustion |
| OP092 | Nationally Required: No Trial Burn Results NOD Category: Operating Permit - Combustion |
| OP100 | Nationally Required: No Notice of Deficiency Category: Operating Permit - General |
| | Nationally Required: No |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| OP110 | Revisions Received Category: Operating Permit - General |
| OP12001 | Nationally Required: No Waiver Requested - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP12002 | Nationally Required: No Waiver Requested - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP12003 | Nationally Required: No Waiver Requested - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP12004 | Nationally Required: No Waiver Requested - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP12005 | Nationally Required: No Waiver Requested - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP12006 | Nationally Required: No Waiver Requested - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14001 | Nationally Required: No Waiver Request Approved - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14002 | Nationally Required: No Waiver Request Approved - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP14003 | Nationally Required: No Waiver Request Approved - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP14004 | Nationally Required: No Waiver Request Approved - ACL Standards Waivers |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| | Category: Operating Permit - Waivers/Withdrawals |
| OP14005 | Nationally Required: No Waiver Request Approved - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14006 | Nationally Required: No Waiver Request Approved - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14101 | Nationally Required: No Waiver Request Denied - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14102 | Nationally Required: No Waiver Request Denied - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP14103 | Nationally Required: No Waiver Request Denied - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP14104 | Nationally Required: No Waiver Request Denied - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP14105 | Nationally Required: No Waiver Request Denied - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14106 | Nationally Required: No Waiver Request Denied - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14201 | Nationally Required: No Waiver Request Withdrawn - Double Liner Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14202 | Nationally Required: No Waiver Request Withdrawn - Surface Impoundment Retrofit Waivers Category: Operating Permit - Waivers/Withdrawals |

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| OP14203 | Nationally Required: No Waiver Request Withdrawn - Land Ban Petition Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP14204 | Nationally Required: No Waiver Request Withdrawn - ACL Standards Waivers Category: Operating Permit - Waivers/Withdrawals |
| OP14205 | Nationally Required: No Waiver Request Withdrawn - Secondary Containment for Tanks Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP14206 | Nationally Required: No Waiver Request Withdrawn - Groundwater Monitoring Waiver Category: Operating Permit - Waivers/Withdrawals |
| OP150 | Nationally Required: No Determined to be Complete - Technically Adequate Category: Operating Permit - General |
| OP160DP | Nationally Required: No Public Notice - Draft Permit The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State. A status code of DP should be entered to indicate draft permit. Category: Operating Permit - General |
| OP160ID | Nationally Required: Yes Public Notice - Intent to Deny The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State. A status code of ID should be entered to indicate intent to deny. Category: Operating Permit - General |
| OP160OH | Nationally Required: Yes Permit Public Notice - Other |

PLN_EVENT_COMMITMENT4

The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of OH should be entered to indicate other.

Category: Operating Permit - General

| | |
|---------|---|
| OP170PH | Nationally Required: Yes Public Hearing - Formal Category: Operating Permit - General |
| OP170PM | Nationally Required: No Public Meeting Category: Operating Permit - General |
| OP180DL | Nationally Required: No Received Withdrawal Request - Delisted Waste Category: Operating Permit - Waivers/Withdrawals |
| OP180FC | Nationally Required: No Received Withdrawal Request - Intends/Closed All Waste Handling Facility Category: Operating Permit - Waivers/Withdrawals |
| OP180FE | Nationally Required: No Received Withdrawal Request - Applicant was a Protective Filer Category: Operating Permit - Waivers/Withdrawals |
| OP180LN | Nationally Required: No Received Withdrawal Request - Applicant has/will go to Less Than 90 Days Storage Category: Operating Permit - Waivers/Withdrawals |
| OP180NW | Nationally Required: No Received Withdrawal Request - Applicant has/will Handle Only Non-regulated Waste Category: Operating Permit - Waivers/Withdrawals |
| OP180OT | Nationally Required: No Received Withdrawal Request - Other Reason for Withdrawal Category: Operating Permit - Waivers/Withdrawals |
| OP180SQ | Nationally Required: No Received Withdrawal Request - Applicant has/will SQG with Onsite Storage |

PLN_EVENT_COMMITMENT4

Category: Operating Permit - Waivers/Withdrawals

Nationally Required: No
 OP190AR Withdrawal Request Determination - Approved Request
 Category: Operating Permit - Waivers/Withdrawals

Nationally Required: No
 OP190DR Withdrawal Request Determination - Denied Request
 Category: Operating Permit - Waivers/Withdrawals

Nationally Required: No
 OP200CA Final Determination - HSWA/Corrective Action-only Permit
 A final determination, made by the EPA or State, to issue a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

Category: Operating Permit - General

Nationally Required: Yes
 OP200PD Final Determination - Permit Denied
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PD should be entered to indicate permit denied.

Category: Operating Permit - General

Nationally Required: Yes
 OP200PG Final Determination - RCRA Permit Issued with HSWA, No Corrective Action
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PG should be entered to indicate RCRA permit issued with HSWA, no corrective action.

Category: Operating Permit - General

Nationally Required: Yes
 OP200PI Final Determination - RCRA Permit Issued, HSWA Not Applicable
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or

PLN_EVENT_COMMITMENT4

equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PI should be entered to indicate RCRA permit issued, HSWA not applicable.

Category: Operating Permit - General

Nationally Required: Yes
 OP200PJ Final Determination - RCRA Permit Issued with HSWA Corrective Action Scheduled
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PJ should be entered to indicate RCRA permit issued with HSWA corrective action scheduled.

Category: Operating Permit - General

Nationally Required: Yes
 OP200PP Final Determination - RCRA Permit Issued, No HSWA Permit Yet
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PP should be entered to indicate RCRA permit issued, no HSWA permit yet.

Category: Operating Permit - General

Nationally Required: Yes
 OP200SP Final Determination - Standardized Permit
 A final determination, made by the EPA or State, to issue or deny a RCRA Operating permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of SP should be entered to indicate standardized permit.

Category: Operating Permit - General

Nationally Required: Yes
 OP205 Final Permit Effective
 The date upon which the permittee must be able to demonstrate compliance with the conditions of the final permit. The specific date will vary depending on the issuing authority. EPA-issued permits shall become effective 30 days after the service

PLN_EVENT_COMMITMENT4

of notice of the decision (as indicated by OP200) unless: (1) a later effective date is specified in the decision; or (2) review is requested on the permit under 40 CFR 124.19 or (3) no comments requested a change in the draft permit, in which case the permit shall become effective immediately upon issuance.

Category: Operating Permit - General

Nationally Required: Yes

- | | |
|---------|--|
| OP210 | Determination Appealed Category: Operating Permit - General |
| OP220DI | Nationally Required: No Appeal Settled - Decision issued with No Remand Category: Operating Permit - General |
| OP220RC | Nationally Required: No Appeal Settled - Remand Proceedings Completed Category: Operating Permit - General |
| OP225 | Nationally Required: No Permit Modification Call-In Category: Operating Permit - General |
| OP230AC | Nationally Required: No Modification Requested - Additional Capacity Category: Operating Permit - Modifications |
| OP230AP | Nationally Required: No Modification Requested - Additional Process Category: Operating Permit - Modifications |
| OP230AU | Nationally Required: No Modification Requested - Additional Unit Category: Operating Permit - Modifications |
| OP230BF | Nationally Required: No Modification Requested - Boiler and/or Industrial Furnace Category: Operating Permit - Modifications |
| OP230CA | Nationally Required: No Modification Requested - Corrective Action Modification |

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| | Category: Operating Permit - Modifications |
| OP230CB | Nationally Required: No Modification Requested - Combustion Category: Operating Permit - Modifications |
| OP230GW | Nationally Required: No Modification Requested - Groundwater Monitoring Modification Category: Operating Permit - Modifications |
| OP230MA | Nationally Required: No Modification Requested - MACT Compliance Category: Operating Permit - Modifications |
| OP230OH | Nationally Required: No Modification Requested - Other Modification Category: Operating Permit - Modifications |
| OP23110 | Nationally Required: No Class Determination - Class 1 Modification - No Priority Category: Operating Permit - Modifications |
| OP23111 | Nationally Required: No Class Determination - Class 1 Modification, Prior Approval Required |
| OP23120 | Class Determination - Class 2 Modification Category: Operating Permit - Modifications |
| OP23130 | Nationally Required: No Class Determination - Class 3 Modification Category: Operating Permit - Modifications |
| OP231AI | Nationally Required: No Class Determination - Agency Initiated Modification Category: Operating Permit - Modifications |
| OP231MJ | Nationally Required: No Class Determination - Major For use by States not authorized for less stringent 40 CFR 270.42. Category: Operating Permit - Modifications |

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| OP231MN | Nationally Required: No Class Determination - Minor For use by States not authorized for less stringent 40 CFR 270.42. Category: Operating Permit - Modifications |
| OP232 | Nationally Required: No Modification Notice of Deficiency Category: Operating Permit - Modifications |
| OP233 | Nationally Required: No Revised Permit Modification Received Category: Operating Permit - Modifications |
| OP235 | Nationally Required: No Permit Modification Determined Complete and Technically Adequate Category: Operating Permit - Modifications |
| OP236AP | Nationally Required: No Permit Modification Public Notice - Intent to Approve Category: Operating Permit - Modifications |
| OP236ID | Nationally Required: No Permit Modification Public Notice - Intent to Deny Category: Operating Permit - Modifications |
| OP237PH | Nationally Required: No Permit Modification Public Hearing Category: Operating Permit - Modifications |
| OP237PM | Nationally Required: No Permit Modification Public Meeting Category: Operating Permit - Modifications |
| OP240AC | Nationally Required: No Modification Approved - Additional Capacity Category: Operating Permit - Modifications |
| OP240AP | Nationally Required: No Modification Approved - Additional Process Category: Operating Permit - Modifications |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| OP240AU | Nationally Required: No Modification Approved - Additional Unit Category: Operating Permit - Modifications |
| OP240CA | Nationally Required: No Modification Approved - Corrective Action Category: Operating Permit - Modifications |
| OP240CB | Nationally Required: No Modification Approved - Combustion Category: Operating Permit - Modifications |
| OP240GW | Nationally Required: No Modification Approved - Groundwater Monitoring Category: Operating Permit - Modifications |
| OP240MA | Nationally Required: No Modification Approved - MACT Compliance Category: Operating Permit - Modifications |
| OP240OH | Nationally Required: No Modification Approved - Other Modification Category: Operating Permit - Modifications |
| OP240RW | Nationally Required: No Modification - Request Withdrawn Category: Operating Permit - Modifications |
| OP241 | Nationally Required: No Final Modification Effective Date Category: Operating Permit - Modifications |
| OP242NS | Nationally Required: No Significance Determination - Not Significant Category: Operating Permit - Modifications |
| OP242SI | Nationally Required: No Significance Determination - Significant Category: Operating Permit - Modifications |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| OP245 | Nationally Required: No Modification Denied Category: Operating Permit - Modifications |
| OP250 | Nationally Required: No Permit Reviewed Category: Operating Permit - General |
| OP260 | Nationally Required: No Permit Termination The date that EPA or State terminates the Operating permit under 40 CFR 270.43 or equivalent State authority. Category: Operating Permit - General |
| OP270 | Nationally Required: Yes Permit Expiration Date This event refers to the last day upon which the conditions and authorizations of the RCRA Operating permit are effective. This event should be entered as a scheduled date for all issued permits that are current (i.e. have not expired). An actual date should be entered once the expiration date has passed. Category: Operating Permit - General |
| OP315 | Nationally Required: Yes Intends to Close Permitted Units Category: Operating Permit - General |
| OP403MO | Nationally Required: No Application Reviewed for Completeness - Unknown Category: Operating Permit - General |
| OP421 | Nationally Required: No Permit Revoked and Reissued Category: Operating Permit - General |
| OP423 | Nationally Required: No Permit Transferred Category: Operating Permit - General |
| OP500 | Nationally Required: No Combustion Risk Assessment Required |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| | Category: Operating Permit - Combustion |
| OP501FR | Nationally Required: No Combustion Risk Assessment Plan Submitted - Full Risk Assessment Category: Operating Permit - Combustion |
| OP501SC | Nationally Required: No Combustion Risk Assessment Plan Submitted - Screening Risk Assessment Category: Operating Permit - Combustion |
| OP502 | Nationally Required: No Combustion Risk Assessment Plan NOD Category: Operating Permit - Combustion |
| OP505 | Nationally Required: No Combustion Risk Assessment Plan Approved Category: Operating Permit - Combustion |
| OP507FR | Nationally Required: No Combustion Risk Assessment Report Submitted - Full Risk Assessment Category: Operating Permit - Combustion |
| OP507SC | Nationally Required: No Combustion Risk Assessment Report Submitted - Screening Risk Assessment Category: Operating Permit - Combustion |
| OP508 | Nationally Required: No Combustion Risk Assessment Report NOD Category: Operating Permit - Combustion |
| OP510 | Nationally Required: No Combustion Risk Assessment Report Approved Category: Operating Permit - Combustion |
| OP515NO | Nationally Required: No Combustion Risk-based Permit Conditions - Conditions Not Needed Category: Operating Permit - Combustion |
| OP515YE | Nationally Required: No Combustion Risk-based Permit Conditions - Conditions Needed Category: Operating Permit - Combustion |

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| PC001IS | Nationally Required: No Part A Received - Initial Submittal Category: Post-Closure - General |
| PC001PB | Nationally Required: No Part A Received - Submitted with a Part B or Modification Request Category: Post-Closure - General |
| PC002AK | Nationally Required: No Part A Determination - Acknowledgement of Part A Receipt Category: Post-Closure - General |
| PC002AP | Nationally Required: No Part A Determination - Approval of Interim Status Change Category: Post-Closure - General |
| PC002DR | Nationally Required: No Part A Determination - Denied Request Category: Post-Closure - General |
| PC005NE | Nationally Required: No Transfer of Ownership - Newly Transferred to this Site Category: Post-Closure - General |
| PC005NO | Nationally Required: No Transfer of Ownership - No Longer Regulated at this Site Category: Post-Closure - General |
| PC010 | Nationally Required: No Post-Closure/HSWA Part B Call-In Written notification to the regulated facility by the EPA or State indicating that a Post-Closure/HSWA Part B Permit Application is required and establishing a schedule for submittal. Category: Post-Closure - General |
| PC020OR | Nationally Required: Yes Post-Closure Part B Received - Original Permit The receipt of Part B of the RCRA Post-Closure/HSWA Permit Application. A status code of OR should be entered to indicate original permit. |

PLN_EVENT_COMMITMENT4

Category: Post-closure - General

PC020RN Nationally Required: Yes
Post-Closure Renewal Application Received
The receipt of Part B of the RCRA Post-Closure/HSWA Permit Application.

A status code of RN should be entered to indicate renewal.

Category: Post-Closure - General

PC025CR Nationally Required: Yes
Confidentiality Requested
Category: Post-Closure - General

PC025CS Nationally Required: No
Confidentiality Substantiated
Category: Post-Closure - General

PC025CU Nationally Required: No
Confidentiality Unsubstantiated
Category: Post-Closure - General

PC100 Nationally Required: No
Notice of Deficiency
Category: Post-Closure - General

PC110 Nationally Required: No
Revisions Received
Category: Post-Closure - General

PC12004 Nationally Required: No
Waiver Requested - ACL Standards Waivers
Category: Post-Closure - Wiavers/Withdrawals

PC12006 Nationally Required: No
Waiver Requested - Groundwater Monitoring Waiver
Category: Post-Closure - Wiavers/Withdrawals

PC14004 Nationally Required: No
Waiver Request Approved - ACL Standards Waivers

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| | Category: Post-Closure - Waivers/Withdrawals |
| PC14006 | Nationally Required: No Waiver Request Approved - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals |
| PC14104 | Nationally Required: No Waiver Request Denied - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals |
| PC14106 | Nationally Required: No Waiver Request Denied - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals |
| PC14204 | Nationally Required: No Waiver Request Withdrawn - ACL Standards Waivers Category: Post-Closure - Waivers/Withdrawals |
| PC14206 | Nationally Required: No Waiver Request Withdrawn - Groundwater Monitoring Waiver Category: Post-Closure - Waivers/Withdrawals |
| PC150 | Nationally Required: No Determined to be Complete and Technically Adequate Category: Post-Closure - General |
| PC160DP | Nationally Required: No Public Notice - Draft Permit The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State. A status code of DP should be entered to indicate draft permit. Category: Post-Closure - General |
| PC160ID | Nationally Required: Yes Public Notice - Intent to Deny The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State. A status code of ID should be entered to indicate intent to deny. |

PLN_EVENT_COMMITMENT4

Category: Post-Closure - General

PC160OH Nationally Required: Yes
 Permit Public Notice - Other
 The beginning of a public comment period where members of the public can review the permit decision and provide comments to the EPA or State.

A status code of OH should be entered to indicate other.

Category: Post-Closure - General

PC170PH Nationally Required: Yes
 Permit Public Hearing - Formal
 Category: Post-Closure - General

PC170PM Nationally Required: No
 Permit Public Meeting
 Category: Post-Closure - General

PC180 Nationally Required: No
 Received Withdrawal Request
 Category: Post-Closure - General

PC190AR Nationally Required: No
 Withdrawal Request - Approved
 Category: Post-Closure - General

PC190DR Nationally Required: No
 Withdrawal Request - Denied
 Category: Post-Closure - General

PC200PD Nationally Required: No
 Final Determination - Permit Denied
 Category: Post-Closure - General

PC200PG Nationally Required: No
 Final Determination - RCRA Permit Issued, No HSWA Corrective Action Scheduled
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

PLN_EVENT_COMMITMENT4

A status code of PG should be entered to indicate RCRA permit issued, no HSWA corrective action scheduled.

Category: Post-Closure - General

Nationally Required: Yes
 PC200PI Final Determination - RCRA Permit Issued, HSWA Not Applicable
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PI should be entered to indicate RCRA permit issued, HSWA not applicable.

Category: Post-Closure - General

Nationally Required: Yes
 PC200PJ Final Determination - RCRA Permit Issued with HSWA Corrective Action Scheduled
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PJ should be entered to indicate RCRA permit issued with HSWA corrective action scheduled.

Category: Post-Closure - General

Nationally Required: Yes
 PC200PP Final Determination - RCRA Permit Issued, No HSWA Permit Yet
 A final determination, made by the EPA or State, to issue or deny a RCRA Post-Closure/HSWA permit under 40 CFR 124.15 or equivalent State requirement. The determination should be made after addressing the applicable requirements of 40 CFR 124.6-18 or equivalent State requirement.

A status code of PP should be entered to indicate RCRA permit issued, no HSWA permit yet.

Category: Post-Closure - General

Nationally Required: Yes
 PC205 Final Permit Effective
 The date upon which the permittee must be able to demonstrate compliance with the conditions of the final permit. The specific date will vary depending on the issuing authority. EPA-issued permits shall become effective 30 days after the service of notice of the decision (as indicated by OP200) unless: (1) a later effective date is specified in the decision; or (2) review is requested on the permit under 40 CFR 124.19 or (3) no comments requested a change in the draft permit, in which case the

PLN_EVENT_COMMITMENT4

permit shall become effective immediately upon issuance.

Category: Post-Closure - General

Nationally Required: Yes

PC210 Determination Appealed
Category: Post-Closure - General

Nationally Required: No

PC220DI Appeal Settled - Decision Issued with No Remand
Category: Post-Closure - General

Nationally Required: No

PC220RC Appeal Settled - Remand Proceedings Completed
Category: Post-Closure - General

Nationally Required: No

PC225 Post-Closure Permit Modification Call-In
Category: Post-Closure - Modifications

Nationally Required: No

PC230AU Modification Request Received - Additional Unit
Category: Post-Closure - Modifications

Nationally Required: No

PC230CA Modification Request Received - Corrective Action
Category: Post-Closure - Modifications

Nationally Required: No

PC230GW Modification Request Received - Groundwater Monitoring Modification
Category: Post-Closure - Modifications

Nationally Required: No

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| PC230OH | Modification Request Received - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: Post-Closure - Modifications Nationally Required: No |
| PC23110 | Class Determination - Class 1 Modification, No Prior Approval Required Category: Post-Closure - Modifications Nationally Required: No |
| PC23111 | Class Determination - Class 1 Modification, Prior Approval Required Category: Post-Closure - Modifications Nationally Required: No |
| PC23120 | Class Determination - Class 2 Modification Category: Post-Closure - Modifications Nationally Required: No |
| PC23130 | Class Determination - Class 3 Modification Category: Post-Closure - Modifications Nationally Required: No |
| PC231AI | Class Determination - Agency Initiated Modification Category: Post-Closure - Modifications Nationally Required: No |
| PC231MJ | Class Determination - Major For use by States not authorized for less stringent 40 CFR 270.42. Category: Post-Closure - Modifications |
| PC231MN | Nationally Required: No Class Determination - Minor For use by States not authorized for less stringent 40 CFR 270.42. Category: Post-Closure - Modifications |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| PC232 | Nationally Required: No Modification Notice of Deficiency Category: Post-Closure - Modifications Nationally Required: No |
| PC233 | Revised Permit Modification Received Category: Post-Closure - Modifications Nationally Required: No |
| PC235 | Permit Modification Determined Complete and Technically Adequate Category: Post-Closure - Modifications Nationally Required: No |
| PC236AP | Permit Modification Public Notice - Intent to Approve Category: Post-Closure - Modifications Nationally Required: No |
| PC236ID | Permit Modification Public Notice - Intent to Deny Category: Post-Closure - Modifications Nationally Required: No |
| PC237PH | Permit Modification Public Hearing - Formal Category: Post-Closure - Modifications Nationally Required: No |
| PC237PM | Permit Modification Public Meeting Category: Post-Closure - Modifications Nationally Required: No |
| PC240AU | Modification Approved - Additional Unit Category: Post-Closure - Modifications Nationally Required: No |

PLN_EVENT_COMMITMENT4

PC240CA Modification Approved - Corrective Action
Category: Post-Closure - Modifications

Nationally Required: No

PC240GW Modification Approved - Groundwater Monitoring Modification
Category: Post-Closure - Modifications

Nationally Required: No

PC240OH Modification Approved - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring
Category: Post-Closure - Modifications

Nationally Required: No

PC240RW Modification Approved - Request Withdrawn
Category: Post-Closure - Modifications

Nationally Required: No

PC245 Modification Denied
Category: Post-Closure - Modifications

Nationally Required: No

PC250 Permit Reviewed
Category: Post-Closure - General

Nationally Required: No

PC260 Permit Termination
The date that EPA or State terminates the Post-Closure/HSWA permit under 40 CFR 270.43 or equivalent State authority.

Category: Post-Closure - General

Nationally Required: Yes
PC270 Permit Expiration Date
This event refers to the last day upon which the conditions and authorizations of the RCRA Post-Closure/HSWA permit are effective.

This event should be entered as a scheduled date for all issued permits that are current (i.e. have not expired). An actual date should be entered once the expiration date has passed.

PLN_EVENT_COMMITMENT4

Category: Post-Closure - General

PC300 Nationally Required: Yes
 Post-Closure Enforceable Document Effective
 The date that an enforceable post-closure document (e.g. an order) has been established in lieu of a post-closure permit in accordance with 40 CFR 270.1(c)(7).

Category: Post-Closure - Alternative Authority

PC310 Nationally Required: Yes
 Post-Closure Plan Received
 The receipt by the EPA or State of a post-closure plan provided by the regulated facility.

Category: Post-Closure - Alternative Authority

PC320 Nationally Required: Yes
 NOD - Post-Closure Plan
 Category: Post-Closure - Alternative Authority

PC330 Nationally Required: No
 Revisions Received - Post-Closure
 Category: Post-Closure - Alternative Authority

PC340 Nationally Required: No
 Public Notice - Post-Closure Plan
 Category: Post-Closure - Alternative Authority

PC350 Nationally Required: No
 Public Hearing - Post-Closure Plan
 Category: Post-Closure - Alternative Authority

PC350PH Nationally Required: No
 Public Hearing - Formal - Post-Closure Plan
 Category: Post-Closure - Alternative Authority

PC350PM Nationally Required: No
 Public Meeting - Post-Closure Plan
 Category: Post-Closure - Alternative Authority

Nationally Required: No

PLN_EVENT_COMMITMENT4

- PC360ME Post-Closure Plan Approved - Final Post-Closure
The issuance of written correspondence to the regulated facility indicating that the post-closure plan has been approved by the EPA or State for implementation.
- A status code of ME should be entered to indicate final post-closure.
- Category: Post-Closure - Alternative Authority
- Nationally Required: Yes
- PC360MO Post-Closure Plan Approved - Partial Post-Closure
The issuance of written correspondence to the regulated facility indicating that the post-closure plan has been approved by the EPA or State for implementation.
- A status code of MO should be entered to indicate partial post-closure.
- Category: Post-Closure - Alternative Authority
- Nationally Required: Yes
- PC362 Post-Closure Plan Modification Request Received
Category: Post-Closure - Modifications
- Nationally Required: No
- PC364 Post-Closure Plan Modification Determination - Approved
Category: Post-Closure - Modifications
- Nationally Required: No
- PC366 Post-Closure Plan Modification Determination - Denied
Category: Post-Closure - Modifications
- Nationally Required: No
- PC370 Post-Closure Certification Received
The receipt of a certification by the owner or operator that the post-closure care period for one or more hazardous waste disposal units was performed in accordance with the specifications in the approved post-closure plan. The certification must be signed by the owner or operator and an independent registered professional engineer (40 CFR 264/265.120).
- Category: Post-Closure - Alternative Authority
- Nationally Required: Yes
- PC380DA Post-Closure Verification - Acceptable
Verification by the EPA or State, through the review of data, site records, certifications, and/or visual inspection, of whether the post-closure care period has been completed satisfactorily.

PLN_EVENT_COMMITMENT4

A status code of DA should be entered to indicate acceptable.

Category: Post-Closure - Alternative Authority

Nationally Required: Yes
 PC380DU Post-Closure Verification - Unacceptable
 Verification by the EPA or State, through the review of data, site records, certifications, and/or visual inspection, of whether the post-closure care period has been completed satisfactorily.

A status code of DU should be entered to indicate unacceptable.

Category: Post-Closure - Alternative Authority

Nationally Required: Yes
 PC403CO Application Reviewed for Completeness - Complete
 Category: Post-Closure - Alternative Authority

Nationally Required: No
 PC403IN Application Reviewed for Completeness - Incomplete
 Category: Post-Closure - Alternative Authority

Nationally Required: No
 PC414 Facility Released from Post-Closure Financial Assurance Requirement
 Category: Post-Closure - Alternative Authority

Nationally Required: No
 RD010 Part B Call-In
 Category: RD&D Permits - General

Nationally Required: No
 RD020 Part B Received
 Category: RD&D Permits - General

Nationally Required: No
 RD020RC Part B Received - Renewal Referencing Original Part B with Updates
 Category: RD&D Permits - General

Nationally Required: No
 RD020RN Part B Received - Renewal
 Category: RD&D Permits - General

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| RD025CR | Nationally Required: No Confidentiality Requested Category: RD&D Permits - General |
| RD025CS | Nationally Required: No Confidentiality Substantiated Category: RD&D Permits - General |
| RD025CU | Nationally Required: No Confidentiality Unsubstantiated Category: RD&D Permits - General |
| RD066 | Nationally Required: No Trial Burn Plan Submitted Category: RD&D Permits - General |
| RD068 | Nationally Required: No Trial Burn Plan Reviewed Category: RD&D Permits - General |
| RD070 | Nationally Required: No Trial Burn Plan Approved Category: RD&D Permits - General |
| RD080 | Nationally Required: No Trial Burn Conducted Category: RD&D Permits - General |
| RD090 | Nationally Required: No Trial Burn Results Received Category: RD&D Permits - General |
| RD092 | Nationally Required: No Trial Burn Results Review Completed Category: RD&D Permits - General |
| RD100 | Nationally Required: No Notice of Deficiency Category: RD&D Permits - General |

PLN_EVENT_COMMITMENT4

| | |
|---------|--|
| RD110 | Nationally Required: No Revisions Received Category: RD&D Permits - General |
| RD150 | Nationally Required: No Determined to be Complete and Technically Adequate Category: RD&D Permits - General |
| RD160DP | Nationally Required: No Public Notice - Draft Permit Issued Category: RD&D Permits - General |
| RD160ID | Nationally Required: No Public Notice - Intent to Deny Category: RD&D Permits - General |
| RD170PH | Nationally Required: No Public Hearing - Formal Category: RD&D Permits - General |
| RD170PM | Nationally Required: No Public Meeting Category: RD&D Permits - General |
| RD180 | Nationally Required: No Received Withdrawal Request Category: RD&D Permits - General |
| RD190AR | Nationally Required: No Withdrawal Request Determination - Approved Request Category: RD&D Permits - General |
| RD190DR | Nationally Required: No Withdrawal Request Determination - Denied Request Category: RD&D Permits - Withdrawals |
| RD200PD | Nationally Required: No Final Determination - Permit Denied Category: RD&D Permits - Withdrawals |
| | Nationally Required: No |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| RD200PI | Final Determination - RCRA Permit Issued Category: RD&D Permits - Withdrawals |
| RD205 | Nationally Required: No Final Permit Effective Category: RD&D Permits - Withdrawals |
| RD210 | Nationally Required: No Determination Appealed Category: RD&D Permits - General |
| RD220 | Nationally Required: No Appeal Settled Category: RD&D Permits - General |
| RD230AC | Nationally Required: No Modification Requested - Additional Capacity Category: RD&D Permits - Modifications |
| RD230AP | Nationally Required: No Modification Requested - Additional Process Category: RD&D Permits - Modifications |
| RD230GW | Nationally Required: No Modification Request - Groundwater Monitoring Modification Category: RD&D Permits - Modifications |
| RD230OH | Nationally Required: No Modification Requested - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: RD&D Permits - Modifications |
| RD232 | Nationally Required: No Modification Notice of Deficiency Category: RD&D Permits - Modifications |
| RD233 | Nationally Required: No Revised Permit Modification Received Category: RD&D Permits - Modifications |
| RD235 | Nationally Required: No Permit Modification Determined Complete and Technically Adequate |

PLN_EVENT_COMMITMENT4

| | |
|---------|---|
| | Category: RD&D Permits - Modifications |
| RD236 | Nationally Required: No Permit Modification Public Notice Category: RD&D Permits - Modifications |
| RD237 | Nationally Required: No Permit Modification Public Hearing Category: RD&D Permits - Modifications |
| RD240GW | Nationally Required: No Modification Approved - Groundwater Monitoring Modification Category: RD&D Permits - Modifications |
| RD240OH | Nationally Required: No Modification Determination - Modification Other Than Additional Capacity, Corrective Action, or Groundwater Monitoring Category: RD&D Permits - Modifications |
| RD240RW | Nationally Required: No Modification Determination - Request Withdrawn Category: RD&D Permits - Modifications |
| RD245 | Nationally Required: No Modification Denied Category: RD&D Permits - Modifications |
| RD260 | Nationally Required: No Permit Termination Category: RD&D Permits - General |
| RD270 | Nationally Required: No Permit Expires Category: RD&D Permits - General |
| RD385 | Nationally Required: No Facility Release from Financial Assurance Requirements Category: RD&D Permits - General |
| | Nationally Required: No |

Default Value

PLN_EVENT_COMMITMENT4

| | |
|-----------------------------|--|
| English Name | User ID of Last Change |
| Oracle Name | USERID |
| Description | Records the user ID of the last person to change the data. |
| Data Type and Length | VARCHAR2 (6) |
| Allowed Values | Valid user ID |
| Default Value | Current user ID |

| | |
|-----------------------------|--|
| English Name | Date of Last Change |
| Oracle Name | LAST_CHANGE |
| Description | Records the date that the data was last changed. |
| Data Type and Length | DATE |
| Allowed Values | Valid date/time stamp |
| Default Value | Current date and time |

*** End of Report ***